


J273-1000000.

Revision A-01




J273-1000000.

Revision A-01

ITEM	PART. No	DESCRIPTION	QT. Y
1	J273-1200000	Sub assembly of auxiliary column	1
2	J273-1300000	Main column subassembly	1
3	J161-1000001	pylons	2
4	J161-1000006	Heightening sleeve II	4
5	J161-1200007	Over coil	1
6	J161-1B00000	LIFTING PADS ASSEMBLY	4
7	J266-1700000	1mm horseshoe pad	5
8	J266-1800000	2mm horseshoe pad	5
9	J271-1000002	Connecting plate of pump station	1
10	J271-1100000	Beam welding assembly	1
11	J271-1800000-220V-1P-60HZ	pumping station	1
12	J271-4400000	Square tray component	2
13	J272-1400000	Height increasing section	1
14	J272-1900000	Oil circuit assembly	1
15	J272-5200000	Brackets 630/1110	1
16	J272-5300000	Brackets 630/1110	1
17	J272-5400000	Brackets 865/1376	2
18	GB5783-M8×30	HEXANGULAR BOLT	4
19	GB6170-M8	HEXANGULAR NUT 1-TYPE	4
20	GB70.1-M6×12	INNER HEXA CYLINDRICAL SCREW	4
21	GB70.1-M8×16	INNER HEXA CYLINDRICAL SCREW	2
22	GB93-8	STANDARD SPRING WASHER	6
23	GB95-6	FLAT WASHER	4
24	GB95-8	FLAT WASHER	7
25	PZLS3-4x6 1-4	Expansion bolt	12

J273-1200000.

Revision A-02




J273-1200000.

Revision A-02


ITEM	PART. No	DESCRIPTION	QT. Y
1	J273-1210000	Large substructure column (pair)	1
2	J101-1080004	D25.5 PAD	2
3	J268-1200002	Oil pipe cover plate	3
4	J269H-1200001	separate cover	8
5	J271-1412001	pulley	1
6	J272-1200002	Oil pipe cover plate	1
7	J272-1220000	Pulley assembly	1
8	J272-1230000	Main Lock Block Component	1
9	J272-1240000	Cover B	1
10	J272-1A00000	hydro-cylinder	1
11	GB70. 2-M6×10	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	4
12	GB818-M6×25-H	CROSS PANHEAD SCREW	8
13	GB97. 1-6	FLAT WASHER A GRADE	4
14	GB894. 1-20	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
15	GB896 - 19	Circlip	1
16	GB12613-25X28X15	SUPPERSSED SHAFT SLEEVE	1

J272-1220000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1220001	cover plate	1
2	J272-1221000	Sheave welding assembly	1
3	J101-1000003	PROTECTIVE RUBBER	2
4	J161-1260001	slider	8
5	J161-1260004	Outrigger shaft	2
6	J161-12C0001	baffle	4
7	J268-1220001	Positioning cover	1
8	J268-1220002	rubber ring	1
9	J268-12C3000	SHAFT AS-LOCK	1
10	J268-12C4000	SHAFT AS-LOCK	1
11	GB70. 1-M8×20	INNER HEXA CYLINDRICAL SCREW	4
12	GB70. 1-M10×25	INNER HEXA CYLINDRICAL SCREW	8
13	GB70. 2-M6×10	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	4
14	GB70. 2-M6×16	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	1
15	GB93-10	STANDARD SPRING WASHER	8
16	GB95-6	FLAT WASHER	5
17	GB95-8	FLAT WASHER	4
18	GB95-10	FLAT WASHER	8
19	GB894. 2-38	SHAFT ELATIC RETAINING RING B-TYPE	2




ITEM	PART.No	DESCRIPTION	QT. Y
1	J268-12C3100	Right lock block component	1
2	J161-1262002	Spring	1
3	J161-1262003	HANDLE WHEEL	1
4	J161-12C2002A	Unlock axis	1
5	GB70. 1-M6×16	INNER HEXA CYLINDRICAL SCREW	1
6	GB70. 1-M12×50	INNER HEXA CYLINDRICAL SCREW	1
7	GB6170-M12	HEXANGULAR NUT 1-TYPE	1
8	GB6172. 1-M12	HEXANGULAR THIN NUT	1
9	GB93-6	STANDARD SPRING WASHER	1
10	GB96. 2-12	LARGE WASHER C GRADE	2
11	GB97. 1-6	FLAT WASHER A GRADE	1



ITEM	PART. No	DESCRIPTION	QT. Y
1	J268-12C4100	Left lock block component	1
2	J161-1262002	Spring	1
3	J161-1262003	HANDLE WHEEL	1
4	J161-12C2002A	Unlock axis	1
5	GB70. 1-M12×50	INNER HEXA CYLINDRICAL SCREW	1
6	GB70. 1-M6×16	INNER HEXA CYLINDRICAL SCREW	1
7	GB6170-M12	HEXANGULAR NUT 1-TYPE	1
8	GB6172. 1-M12	HEXANGULAR THIN NUT	1
9	GB93-6	STANDARD SPRING WASHER	1
10	GB96. 2-12	LARGE WASHER C GRADE	2
11	GB97. 1-6	FLAT WASHER A GRADE	1

J272-1230000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1230001	axle	1
2	J272-1230002	Spacer sleeve	1
3	J272-1230003	SPRING	1
4	J272-1230004	Spacer sleeve	1
5	J272-1230005	control lever	1
6	J272-1230006	wirerope	1
7	J272-1231000	Lock block	1
8	J272-1232000	Rotating plate	1
9	GB818-M6×35-H	CROSS PANHEAD SCREW	1
10	GB6170-M6	HEXANGULAR NUT 1-TYPE	1
11	GB6172. 1-M10	HEXANGULAR THIN NUT	1
12	GB93-10	STANDARD SPRING WASHER	1
13	GB95-10	FLAT WASHER	1
14	MH-12-1360011	HAND LEVER	1

J272-1A00000.


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1A00000	hydro-cylinder	1
2	J272-1A00000MFJ	Oil cylinder seal	1

J273-1300000.

Revision A-02




J273-1300000.

Revision A-02

ITEM	PART. No	DESCRIPTION	QT. Y
1	J273-1310000	Large base column (main)	1
2	J101-1080004	D25.5 PAD	2
3	J268-1200002	Oil pipe cover plate	4
4	J269H-1200001	separate cover	8
5	J271-1412001	pulley	1
6	J272-1320000	Secondary Lock Block Component	1
7	J272-1330000	Roller Frame Assembly	1
8	J272-1340000	Cover A	1
9	J272-1220000	Pulley assembly	1
10	J272-1A00000	hydro-cylinder	1
11	GB70. 2-M6×10	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	4
12	GB70. 2-M8×16	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	2
13	GB818-M6×25-H	CROSS PANHEAD SCREW	8
14	GB93-8	STANDARD SPRING WASHER	2
15	GB97. 1-8	FLAT WASHER A GRADE	2
16	GB97. 1-6	FLAT WASHER A GRADE	4
17	GB894. 1-20	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
18	GB896 - 19	Circlip	1
19	GB12613-25X28X15	SUPPERSED SHAFT SLEEVE	1

J272-1320000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1320001	Rotating plate	1
2	J272-1320002	axle	1
3	J272-1320003	SPRING	1
4	J272-1320004	SPHERIC HEXANGULAR NUT	1
5	J272-1230001	axle	1
6	J272-1230002	Spacer sleeve	1
7	J272-1230003	SPRING	1
8	J272-1230004	Spacer sleeve	1
9	J272-1231000	Lock block	1

J272-1330000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1330002	Roller bracket	1
2	J272-1412002	roller	1
3	GB882-6×35	PIN SHAFT	1
4	GB91-2×16	SLOTTED PIN	1

J272-1400000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1400001	Metal joint	2
2	J272-1410000	Height increasing section	2
3	J272-1420000	SYNCHRONOUS ROPE	2
4	J272-1430000	SUPPRESSED RUBBER HOSE	1
5	J272-1440000	SUPPRESSED RUBBER HOSE	1

J272-1410000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1411000	Height increasing section	1
2	J272-1412000	Roller frame component	1
3	J166-1000004	Cushion pillar	2
4	J262-1200004	Clamp with rubber strip	1
5	J271-1410001	Oil pipe cover plate	1
6	J271-1412000	Gantry upper cover assembly	1
7	4-900355	SNAP RIVETS	4
8	GB70.1-M6×16	INNER HEXA CYLINDRICAL SCREW	2
9	GB70.1-M8×16	INNER HEXA CYLINDRICAL SCREW	12
10	GB70.1-M8×25	INNER HEXA CYLINDRICAL SCREW	6
11	GB70.2-M6×16	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	2
12	GB818-M4×8-H	CROSS PANHEAD SCREW	2
13	GB6170-M4	HEXANGULAR NUT 1-TYPE	2
14	GB6170-M6	HEXANGULAR NUT 1-TYPE	2
15	GB93-6	STANDARD SPRING WASHER	2
16	GB93-8	STANDARD SPRING WASHER	18
17	GB96.2-8	LARGE WASHER C GRADE	26
18	GB97.1-4	FLAT WASHER A GRADE	2
19	GB97.1-6	FLAT WASHER A GRADE	6

J272-1412000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1412001	bracket	1
2	J272-1412002	roller	1
3	GB882-6×30	PIN SHAFT	1
4	GB91-2×16	SLOTTED PIN	1

J272C-1412000.


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272C-1231000	Single side gantry top cover	1
2	J101-1080004	D25.5 PAD	4
3	J271-1412001	pulley	2
4	GB5783-M10×20	HEXANGULAR BOLT	2
5	GB896 - 19	Circlip	2
6	GB12613-25X28X15	SUPPERSSSED SHAFT SLEEVE	2

J272-1900000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-1920000	SUPPRESSED RUBBER HOSE	1
2	J101-1140005	BRITISH HINGE BOLTS	2
3	J268-1900001	Oil pipe joint	2
4	J271-1900002	Oil pipe joint	1
5	J271-1910000	SUPPRESSED RUBBER HOSE	1
6	JB982-13	gasket	6

J272-5200000


Revision A-01



ITEM	PART.No	DESCRIPTION	QT. Y
1	J272-5210000	Foundation arm (left)	1
2	J272-5220000	Pallet arm	1
3	J272-5230000	Pallet arm	1
4	J101-1050001	THE SECTOR GEAR	1
5	GB5783-M8×30-12. 9	HEXANGULAR BOLT	3
6	GB79-M8×20	INNER HEXA CYLINDRICAL TERMINUS SET SCREW	1
7	GB79-M8×25	INNER HEXA CYLINDRICAL TERMINUS SET SCREW	1
8	GB6172. 1-M8	HEXANGULAR THIN NUT	2
9	GB862. 1-8	OUTER TOOTH LOCK WAHSER	3

J272-5300000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-5310000	Foundation arm (left)	1
2	J272-5220000	Pallet arm	1
3	J272-5230000	Pallet arm	1
4	J101-1050001	THE SECTOR GEAR	1
5	GB5783-M8×30-12. 9	HEXANGULAR BOLT	3
6	GB79-M8×20	INNER HEXA CYLINDRICAL TERMINUS SET SCREW	1
7	GB79-M8×25	INNER HEXA CYLINDRICAL TERMINUS SET SCREW	1
8	GB6172. 1-M8	HEXANGULAR THIN NUT	2
9	GB862. 1-8	OUTER TOOTH LOCK WAHSER	3

J272-5400000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J272-5410000	Arm tube I welding assembly (left)	1
2	J272-5420000	Sliding arm I welding assembly	1
3	J101-1050001	THE SECTOR GEAR	1
4	GB5783-M8×30-12.9	HEXANGULAR BOLT	3
5	GB79-M8×20	INNER HEXA CYLINDRICAL TERMINUS SET SCREW	1
6	GB6172. 1-M8	HEXANGULAR THIN NUT	1
7	GB862. 1-8	OUTER TOOTH LOCK WAHSER	3

J271-1100000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J271-1110000	Beam welding assembly	1
2	J271-1120000	Beam welding assembly	1
3	J261-1000001	Limit frame 2	1
4	J261-1300000	Limit switch assembly	1
5	J261-1400000	Touch bar assembly	1
6	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	4
7	GB70. 1-M10×20	INNER HEXA CYLINDRICAL SCREW	4
8	GB70. 1-M12×30	INNER HEXA CYLINDRICAL SCREW	9
9	GB6170-M12	HEXANGULAR NUT 1-TYPE	9
10	GB93-10	STANDARD SPRING WASHER	4
11	GB93-12	STANDARD SPRING WASHER	9
12	GB95-6	FLAT WASHER	4
13	GB95-10	FLAT WASHER	4
14	GB95-12	FLAT WASHER	18

J261-1300000


Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J261-1300001	Limit frame 1	1
2	J261-1300002	Gantry travel switch	1
3	J261-1300003	Upper limit switch wiring	1
4	GB9074. 4-M4x10	Screw M4x10-H	2

J261-1400000


Revision A-01




ITEM	PART. No	DESCRIPTION	QT. Y
1	J233-1450001	TOUCH ROD	1
2	J261-1400002	Shaft stopper	1
3	J201-1450003	HEAT PRESERVATION COTTON TUBE	1
4	GB70. 1-M6×30	INNER HEXA CYLINDRICAL SCREW	1
5	GB889. 1-M6	LOCK NUT	1
6	GB95-8	FLAT WASHER	1
7	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1

J271-4400000

Revision A-01



ITEM	PART. No	DESCRIPTION	QT. Y
1	J271-4410000	Bracket	1
2	J271-4400001	Rubber pad	1
3	GB2673-M6×20	HEXA COUNTERSUNK SCREW	2



ITEM	PART. No	DESCRIPTION	QT. Y
1	J161-1B00001	Coarse pallet	1
2	J161-1B00002	Rubber disc	1
3	J161-1B00003	BASE SCREW	1
4	GB895. 2-30	SHAFT STEEL WIRE RETAINING RING	1
5	GB819. 1-M8×12-H	CROSS COUNTERSUNK SCREW STEEL 4.8 GRADE	2