



LC889N Exploded Drawing






ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-8M-1100000	BODY	1
2	CT-J-4100000	GEARBOX (USED WITH 50HZ MOTOR)	1
3	CT-DJ-0318112Y	MOTOR (220-240V, 50Hz, 1P, 1.1Kw)	1
4	CT-DJ-0334122	MOTOR (380V, 50Hz, 3P, 0.75Kw)	1
5	CT-DJ-0344123	MOTOR (380V, 50Hz, 3P, 0.85-1.1Kw, DOUBLE SPEED)	1
6	GB96.1-10	LARGE WASHER A GRADE	11
7	GB5782-M10×200-8.8	BOLT M10×200	4
8	GB5782-M10×160-8.8	BOLT M10×160	2
9	GB95-10	FLAT WASHER	16
10	GB41-M10	HEXANGULAR NUT	17
11	CT-DJ-0000007	BELT (USED WITH 50HZ MOTOR)	1
12	CT-D-6100000	PEDAL ASSEMBLY	1
13	CT-D-8100000	PEDAL ASSEMBLY (DOUBLE SPEED)	1
14	GB93-10	STANDARD SPRING WASHER	2
15	GB70.1-M10×30	INNER HEXA CYLINDRICAL SCREW	2
16	C-54-1000022	PLUG C	2
17	C-54-1000028	PLUG B	1
18	C-54-1000023	PLUG A	2
19	CT-Q-5000000	ROTATING UNION	1
20	CT-Q-6000000	CLAMP RING	1
21	GB93-8	STANDARD SPRING WASHER	3
22	GB70.1-M8×30	INNER HEXA CYLINDRICAL SCREW	3
23	GB1096-C12×8×45	COMMON FLAT KEY	1
24	CT-LS-C100000	BEAD BREAKER CYLINDER ASSEMBLY	1
25	CT-B-C000000	BEAD BREAKER ARM ASSEMBLY	1
26	C-54-1000016	RUBBER WASHER	1
27	C-54-1000010	SCREWS M14X42	2
28	GB6172.1-M14	HEXANGULAR THIN NUT	2
29	GB861.1-14	INNER TOOTH LOCK WAhSER	2
30	GB5782-M16×100	HEXANGULAR BOLT	1
31	GB95-16	FLAT WASHER	1
32	GB889.1-M16	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
33	CT-C-2100000	BEAD BREAKER BLADE	1
34	C-54-1000002	WASHER	1
35	GB955-14	WAVE-FORM SPRING WASHER	1
36	GB889.1-M14	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
37	TC-40-1200022	RUBBER COVER	1
38	C-54-1000005	RUBBER FOOT	4
39	CT-F-2121200	AIR REGULATOR ASSEMBIY	1
40	GB70.1-M6×10	INNER HEXA CYLINDRICAL SCREW	2

出口LC889N

ITEM	PART. No	DESCRIPTION.	QT. Y
41	GB95-5	FLAT WASHER	2
42	GB5783-M5×16	HEXANGULAR BOLT	1
43	CT-P-4000000	INFLATING GUN ASSEMBLY	1
44	CT-Y-5000000	TURNTABLE ASSEMBLY	1
45	C-71-1000024	INFLATING GUN HOOK	1
46	GB41-M8	HEXANGULAR NUT	1
47	C-54-1000012	PRESS COVER	1
48	GB70. 1-M12×30	INNER HEXA CYLINDRICAL SCREW	1
49	C-5E-1000002	COVER	1
50	GB70. 1-M6×20	INNER HEXA CYLINDRICAL SCREW	10
51	C-5E-1000003	RUBBER PLATE	1
52	GB70. 1-M8×25	INNER HEXA CYLINDRICAL SCREW	3
53	C-61-1000001	SIDE PANEL	1
54	GB95-6	FLAT WASHER	5
55	CT-XD-1000000A	PULL-OUT CYLINDER ASSEMBLY	1
56	GB882-12×120	PIN SHAFT	1
57	C-77-1000012	CIRCLIP	1
58	GB70. 1-M12×50	INNER HEXA CYLINDRICAL SCREW	1
59	GB889. 1-M12	1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
60	C-86-1000006	WASHER Φ30xΦ10x15	2
61	GB70. 3-M8×30	INNER COUNTERSUNK SCREW	2
62	GB5783-M10×35	HEXANGULAR BOLT	1
63	C-90-1000012	POSITION BOLT	2
64	C-8M-1200000	COLUMN WELDING	1
65	C-7N-1000002	ROTATION SHAFT	1
66	C-86-1000003	LOCKING BUSHING	2
67	C-6A-1000003	CONICAL BUSHING	2
68	GB6184-M20	1-TYPE METAL HEXAGON LOCK NUT	2
69	TC-10-8400006	OIL BOTTLE	1
70	C-8M-1300000	HORIZONTAL ARM ASSEMBLY	1
71	C-7C-1000004	PEDESTAL	1
72	C-7C-1000005	TELEFLEX	1
73	GB119. 1-10×50	CYLINDRICAL PIN	1
74	GB77-M8×20	INNER HEXA FLAT TERMINUS SET SCREW	2
75	GB6172. 1-M8	HEXANGULAR THIN NUT	2
76	GB95-8	FLAT WASHER	2
77	C-77-1000009	AIR HOSE CHUTE	1
78	C-77-1000003	CUSHION	2
79	C-77-1000004	RUBBER WASHER	1
80	GB5783-M8×25	HEXANGULAR BOLT	1


出口LC889N

ITEM	PART. No	DESCRIPTION.	QT. Y
81	C-77-1500000	LOCKING CYLINDER ASSY	1
82	C-7N-1000001	SQUARE LOCK PLATE	1
83	C-71-1000029	INNER HEXA FLAT TERMINUS SET SCREW	1
84	GB6173-M10×1.0	HEXA THIN NUT	1
85	C-77-1000006	PROTECTIVE HOOD LOCK BUSHING	2
86	C-8E-1000002	PROTECTIVE COVER	1
87	GB818-M6×40-H	CROSS PANHEAD SCREW	2
88	C-5B-1400000	LIMIT SET	1
89	C-5B-1500000	PRESSURE ADJUST VALVE	1
90	C-86-1400000	HANDLE WHEEL	1
91	C-86-1000005	PRESS SPRING	2
92	C-86-1000004	INNER HEXA CONIC TERMINUS SET SCREW	2
93	GB41-M12	HEXANGULAR NUT	2
94	C-8M-1000001	PROTECTIVE COVER	1
95	GB818-M5×12-H	CROSS PANHEAD SCREW	2
96	FPLF8-02	INSERT ELBOW ϕ 8, R1/4	1
97	C-54-1000027	JOINT SEALING GASKET	1
98	C-54-1000034	AIR CONNECTOR	1
99	C-01-1500004	OPEN NUT	1
100	C-01-1000006	COVER CAP	6
101	C-61-1000002	CUSHION BUSHING	1
102	C-71-1000027	HELPER RUBBE PLUG	2
103	FPT 6-8-8	DIFFERENT DIA OF UNION TEE	1
104	CT-E-EU00315	CABLE (1P)	1
105	CT-E-UN00410	CABLE (3P)	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-8M-1310000	HORIZONTAL ARM WELDING	1
2	C-80-1300001	HEXAGON SHAFT	1
3	C-77-1300004	HEXANGULAR LOCK PLATE	1
4	C-54-0001000	DEMOUNTING HEAD ASSEMBLY	1
5	C-71-1330000	HANDLE CONTROLING VALVE	1
6	C-54-1300008	PRESS WASHER	1
7	C-71-1300005A	POSITIONING BLOCK	1
8	C-5E-1300001	VERTICAL SHAFT COVER	1
9	C-54-1300010	VERTICAL SHAFT SPRING	1
10	C-54-1300007	SHOCK ABSORBER WASHER	1
11	C-71-1300004	SPRING	2
12	C-71-1320000	LOCKING CYLINDER ASSY	1
13	GB93-10	STANDARD SPRING WASHER	1
14	GB5783-M10×25-12.9	HEXANGULAR BOLT	1
15	GB70. 1-M6×10	INNER HEXA CYLINDRICAL SCREW	2
16	GB95-8	FLAT WASHER	1
17	GB70. 1-M8×20	INNER HEXA CYLINDRICAL SCREW	1
18	GB70. 1-M10×30	INNER HEXA CYLINDRICAL SCREW	1
19	C-71-1000029	INNER HEXA FLAT TERMINUS SET SCREW	1
20	GB95-4	FLAT WASHER	4
21	GB70. 1-M4×12	INNER HEXA CYLINDRICAL SCREW	4
22	GB6173-M10×1.0	HEXA THIN NUT	1
23	GB889. 1-M10	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
24	GB70. 2-M8×35	INNER HEXA CYLINDRICAL ROUND HEAD SCREW	1
25	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1

C-71-1320000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-71-1320001	LOCK TURNTABLE CYLINDER HEAD	1
2	C-71-1320002	LOCK CYLINDER BODY	1
3	C-71-1320003	Y-RING	1
4	GB70. 1-M6×35	INNER HEXA CYLINDRICAL SCREW	2
5	GB3452. 1-6×1.8-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
6	PBS 6-01	MALE BRANCH TEE NUT	1

C-71-1330000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-71-1330001	HANDLE CONTROL VALVE	1
2	C-71-1330002	VALVE ROD	1
3	C-71-1330003	VALVE SPACER	3
4	C-71-1330004	FRONT COVER	2
5	C-71-1330005	REAR COVER	1
6	C-71-1330006	FRONT SEALING COVER	1
7	MFPC 6-01	MALE STRAIGHT	2
8	GB3452. 1-8×2. 65-A	HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE	4




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-1300004	DEMOUNTING HEAD	1
2	C-54-1300006	ROLLER BOLT	1
3	C-54-1300009	ROLLER	1
4	C-54-8000007	TOOL HEAF TAIL WASHER	1
5	GB80-M12×12	INNER HEXA RECESSED TERMINUS SET SCREW	2
6	GB80-M12×16	INNER HEXA RECESSED TERMINUS SET SCREW	2
7	C-54-1300014	SHEATH	1


C-77-1500000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-71-1320001	LOCK TURNTABLE CYLINDER HEAD	1
2	C-71-1320002	LOCK CYLINDER BODY	1
3	C-71-1320003	Y-RING	1
4	GB70. 1-M6×35	INNER HEXA CYLINDRICAL SCREW	2
5	GB3452. 1-6×1.8-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
6	FPL 6-01	MALE ELBOW	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-XD-1200000	PULL-OUT CYLINDER	1
2	FPL 8-01	INSERT ELBOW $\Phi 8$, R1/8	2
3	GB93-12	STANDARD SPRING WASHER	1
4	CT-XD-1000007	BEARING JOINTS	1
5	H-12-1000001	FELT WASHER	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-XD-1000005	CYLINDER REAR COVER	1
2	CT-XD-1000001	CYLINDER BODY	1
3	CT-XD-1200001	SHAFT-CLYNDR	1
4	GB95-12	FLAT WASHER	1
5	GB889. 1-M12	1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
6	CT-Y-4120004	CYLINDER FRONT COVER	1
7	GB12613-23×20×10	BEARING-SLIDE	1
8	GB893. 1-30	ELASTIC RETAINING RING A-TYPE	1
9	CT-XD-1000003	BARS	4
10	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	8
11	CT-Y-4121000	CYCLINDER SEALING PARTS ASSEMBLY	1
11. 1	GB3452. 1-75×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
11. 2	CT-Y-0160007	SEAL-ROD, CYLNDR	1
11. 3	GB3452. 1-20×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
11. 4	CT-Y-4120006	PISTON	1




CT-D-6100000

ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-6100001	PEDAL SUPPORT	1
2	CT-D-6100002	BOTTOM SHAFT	1
3	CT-D-5100003	PEDAL	3
4	CT-D-2100001	SPACER	2
5	CT-D-5100002	PEDAL	1
6	CT-D-5100005	CONNECTION PART	3
7	CT-D-0010000	VALVE	1
8	CT-D-0014000	VALVE	1
9	CT-D-0015000	VALVE	1
10	GB9074-M6×20	COMBINATION SCREW	15
11	CT-D-2100004	FORK SPRING PLATE	2
12	CT-D-1100009B	CAM	2
13	GB95-6	FLAT WASHER	4
14	GB93-6	STANDARD SPRING WASHER	6
15	GB70. 1-M6×25	INNER HEXA CYLINDRICAL SCREW	4
16	CT-D-1100011A	CAM BAFFLE PLATE	2
17	GB845-ST2. 9×9. 5 H C	CROSS PANHEAD TAPPING SCREW	4
18	GB95-10	FLAT WASHER	6
19	GB882-4×22	PIN SHAFT	3
20	GB91-1. 6×10	SLOTTED PIN	3
21	GB5783-M8×60	HEXANGULAR BOLT	3
22	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	8
23	CT-D-1100008	CAM CONNECTING ROD	2
24	GB70. 1-M8×40	INNER HEXA CYLINDRICAL SCREW	3
25	GB41-M8	HEXANGULAR NUT	4
26	CT-D-5100007	SPRING	3
27	CT-D-2100010	TORSION SPRING BRACKET	1
28	GB41-M6	HEXANGULAR NUT	4
29	CT-D-2100002	TORSION SPRING	1
30	GB5782-M8×55	HEXANGULAR BOLT	1
31	CT-D-2100014	WASHER	1
32	CT-D-5100008	SWITCH SUPPORT	1
33	CT-D-5100009A	SWITCH SUPPORT	1
34	CT-D-1100018	SWITCH	1
35	CT-D-1100014	SWITCH COVER	1
36	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	2
37	CT-D-2100005	SPACER	2
38	CT-D-2100011	CONNECTION ROD	1
39	CT-D-1100010	REVERSE LEVER	1
40	GB5783-M8×40	HEXANGULAR BOLT	1
41	CT-D-2100012	ROTATION SHAFT	1
42	GB9074. 4-M4×16	COMBINATION SCREW	1
43	GB894. 1-14	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
44	GB9074. 4-M5×25	COMBINATION SCREW	2




CT-D-8100000


ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-6100001	PEDAL SUPPORT	1
2	CT-D-6100002	BOTTOM SHAFT	1
3	CT-D-5100003	PEDAL	3
4	CT-D-2100001	SPACER	2
5	CT-D-5100005	CONNECTION PART	3
6	CT-D-5100002	PEDAL	1
7	CT-D-0015000	VALVE	1
8	CT-D-0014000	VALVE	1
9	CT-D-0010000	VALVE	1
10	GB9074-M6×20	COMBINATION SCREW	16
11	CT-D-2100004	FORK SPRING PLATE	2
12	CT-D-1100009B	CAM	2
13	GB95-6	FLAT WASHER	4
14	GB93-6	STANDARD SPRING WASHER	4
15	GB70. 1-M6×25	INNER HEXA CYLINDRICAL SCREW	4
16	CT-D-1100011A	CAM BAFFLE PLATE	2
17	GB845-ST2. 9×9. 5 H C	CROSS PANHEAD TAPPING SCREW	4
18	GB95-10	FLAT WASHER	6
19	GB882-4×22	PIN SHAFT	3
20	GB91-1. 6×10	SLOTTED PIN	3
21	GB5783-M8×60	HEXANGULAR BOLT	3
22	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	8
23	CT-D-1100008	CAM CONNECTING ROD	2
24	GB70. 1-M8×40	INNER HEXA CYLINDRICAL SCREW	3
25	GB41-M8	HEXANGULAR NUT	4
26	CT-D-5100007	SPRING	3
27	CT-D-2100010	TORSION SPRING BRACKET	1
28	GB41-M6	HEXANGULAR NUT	6
29	CT-D-2100014	WASHER	1
30	CT-D-8100001	SWITCH BARCKET	1
31	CT-D-7100001	TORSION SPRING	1
32	CT-D-7100002	SWITCH CONNECTING PLATE	1
33	CT-D-7100004H	BRACKET PLATE	1
34	CT-D-7100005	SAPCER PLATE	1
35	CT-D-7100006	SWITCH COVER	1
36	CT-D-7100007	SWITCH	1
37	CT-D-7100008	REVERSE LEVER	1
38	GB5783-M8×35	HEXANGULAR BOLT	1
39	GB5783-M8×70	HEXANGULAR BOLT	1
40	GB70. 1-M6×30	INNER HEXA CYLINDRICAL SCREW	1
41	GB9074. 4-M5×25	COMBINATION SCREW	2
42	GB889. 1-M6	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
43	GB894. 1-14	SHAFT ELATIC BIG RETAINING RING A-TYPE	2
44	GB9074. 13-M4×16	COMBINATION SCREW	1
45	GB5783-M6×30	HEXANGULAR BOLT	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-1110001	VALVE BODY	1
2	CT-D-1110003	O-RING	6
3	CT-D-1110004	SPACER	5
4	CT-D-1110005	VALVE CAP	1
5	CT-D-2600001	VALVE ROD	1
6	GB879. 1-4×20	PIN	1
7	GB95-10	FLAT WASHER	1
8	GB845-ST2. 9×13 H C	SCREW	3
9	FPD 8-01	MALE RUN TEE	1
10	FPC 8-01	MALE STRAIGHT	2
11	FSK 01	PLASTIC PARTICLE SILENCER	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-1110001	VALVE BODY	1
2	CT-D-1110003	O-RING	6
3	CT-D-1110004	SPACER	5
4	CT-D-1110005	VALVE CAP	1
5	CT-D-2600003	VALVE ROD	1
6	GB845-ST2.9×13 H C	CROSS PANHEAD TAPPING SCREW	3
7	FPB 8-01	INSERT TEE, $\Phi 8$, R1/8	1
8	FPC 8-01	MALE STRAIGHT	2
9	FSK 01	PLASTIC PARTICLE SILENCER	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-D-1110001	VALVE BODY	1
2	CT-D-1110003	O-RING	6
3	CT-D-1110004	SPACER	5
4	CT-D-1110005	VALVE CAP	1
5	CT-D-2600003	VALVE ROD	1
6	GB845-ST2. 9×13 H C	SCREW	3
7	FPL 8-01	INSERT ELBOW $\Phi 8$, R1/8	1
8	FPC 8-01	MALE STRAIGHT	2
9	FJSR 01	BRASS REGULATOR SILENCER	2




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-B-C100000	BEAD BREAKER	1
2	CT-B-A200000	PIN SHAFT	1
3	CT-B-A000001	TURN ROD	1
4	CT-B-A000002	CONNECT ROD	1
5	CT-B-6000003	PAD	1
6	GB93-10	STANDARD SPRING WASHER	1
7	GB5783-M10×20	HEXANGULAR BOLT	1
8	CT-B-2000002	SPRING	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-LS-B100001	CYLINDER BLOCK	1
2	CT-LS-B110000	CYLINDER COVER	1
3	CT-LS-B100002	CYLINDER COVER	1
4	CT-LS-B100003	PISTON	1
5	CT-LS-C100001	CYLINDER PISTON ROD	1
6	CT-LS-B100005	CLAMP RING	1
7	TB-L-0303001	BERAING	1
8	CT-LS-B100007	BOLT	12
9	CT-LS-B120000	QUICK DEFLATE VALVE ON COVER	1
10	S6520 8-1-4	INSERT ELBOW $\Phi 8$, R1/4	1
11	GB893. 2-30	ELASTIC RETAINING RING B-TYPE	1
12	GB6171- M18 $\times$ 1.5	NUT THIN TOOTH	1
13	GB6177. 1-M8	HEXA FLANGE NUT	12
14	CT-LS-B130000	CYCLINDER SEALING PARTS ASSEMBLY	1
14. 1	CT-LS-2400002	SEALING RING	1
14. 2	GB3452. 1-20 $\times$ 3. 55-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
14. 3	CT-Y-0160007	SEAL-ROD, CYLNDR	1
14. 4	CT-LS-B100008	Y-RING	2
14. 5	GB3452. 1-195 $\times$ 3. 55-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
14. 6	GB3452. 1-15. 5 $\times$ 2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-LS-1310001	LOWER COVER OF QUICK DEFLATE VALVE	1
2	CT-LS-1310002	COVER OF QUICK DEFLATE VALVE	1
3	CT-LS-1310003	PISTON	1
4	CT-LS-1310004	RUBBER WASHER	1
5	CT-LS-1310005	DOUBLE SCREW G1/4	1
6	S6520 8-1-8	INSERT ELBOW $\Phi 8$, R1/8	1
7	FSK 02	PLASTIC PARTICLE SILENCER	1
8	GB3452.1-12.8×2.65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-5B-1400001	FIXED AXIS	1
2	C-5B-1400002	REGULATE	1
3	GB119. 1-8×35	CYLINDRICAL PIN	1
4	GB70. 1-M6×12	INNER HEXA CYLINDRICAL SCREW	1
5	GB80-M6×5	INNER HEXA RECESSED TERMINUS SET SCREW	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Y-5040000	TURNTABLE	1
2	CT-Y-5000001	SLIDE COVER	4
3	CT-Y-5000002	CLAMP	4
4	CT-Y-5000004	WEARABLE WASHER	4
5	CT-Y-5010000	CYLINDER ASSEMBLY D80X350	2
6	CT-Y-5020000	CONNECTION PLATE	4
7	CT-Y-5030000	SQUARE TURNTABLE	1
8	CT-Y-5070000	CYLINDER BRACKET	2
9	CT-Y-5080000	PRESS PLATE WELDING	2
10	CT-Y-0100003	SPACER	4
11	GB70. 1-M10×25-12. 9	INNER HEXA CYLINDRICAL SCREW	4
12	GB78-M6×12	INNER HEXA CONIC TERMINUS SET SCREW	4
13	GB894. 1-85	SHAFT ELATIC BIG RETAINING RING A-TYPE	1
14	GB95-12	FLAT WASHER	8
15	GB894. 1-12	SHAFT ELATIC BIG RETAINING RING A-TYPE	4
16	GB879. 1-4×16	ELASTIC CYLINDRICAL PIN, HEAVY	8
17	GB5783-M12×45	HEXANGULAR BOLT	4
18	GB93-12	STANDARD SPRING WASHER	4
19	CT-Y-5000005	PROTECTIVE COVER	4
20	GB70. 3-M6×16	INNER COUNTER SUNK SCREW	12
21	CT-Y-0100008	HINGE ELBOW Φ8 G1/8	2
22	CT-Y-0100006	HINGE ELBOW Φ8 G1/8	2


CT-Y-5010000




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Y-4120004	CYLINDER FRONT COVER	1
2	CT-Y-5010001	CYLINDER 80MM	1
3	CT-Y-5010002	SHAFT-CLYDR	1
4	CT-Y-4120005	CAP-BASE, CYLNDR	1
5	CT-Y-5010003	BOLT	4
6	GB893. 1-30	ELASTIC RETAINING RING A-TYPE	1
7	GB889. 1-M8	1-TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	4
8	GB95-12	FLAT WASHER	1
9	GB889. 1-M12	1- TYPE PREVAILING TORQUE TYPE HEXAGON LOCK NUT	1
10	GB12613-23×20×10	BEARING-SLIDE	1
11	CT-Y-4121000	CYCLINDER SEALING PARTS ASSEMBLY	1
11. 1	GB3452. 1-75×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	2
11. 2	CT-Y-0160007	SEAL-ROD, CYLNDR	1
11. 3	GB3452. 1-20×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
11. 4	CT-Y-4120006	PISTON	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-Q-1000001	AIR GUIDE EXTERNAL BUSHING	1
2	CT-Q-1000002	AIR GUIDE ROTATION BUSHING	1
3	GB71-M3×6	SLOTTED CONIC HEAD SET SCREW	4
4	GB3452. 1-60×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	3
5	FPC 8-01	MALE STRAIGHT	4




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-J-0000005	GEARBOX	1
2	CT-J-0000006	GEARBOX TOP	1
3	CT-J-0000004	WORM ROD	1
4	CT-J-0000008	BELT PULLEY	1
5	CT-J-0000002	WORM SHAFT	1
6	GB276-6208	BEARING	1
7	GB1096-12×8×56	COMMON FLAT KEY	1
8	GB297-30205	BEARING	2
9	GB1099. 1-6×9×22	COMMON SEMI-CIRCULAR KEY	1
10	CT-J-0000003	WORM	1
11	GB894. 1-50	RETAINING RING A-TYPE	1
12	FB25-40 GB13871. 92	SEALED RING	1
13	CT-J-0100000	CAP	1
14	GB276-6010	DEEP GROOVE BALL BEARINGS	1
15	GB96. 2-8	LARGE WASHER C GRADE	1
16	GB93-8	STANDARD SPRING WASHER	1
17	GB5783-M8×25	HEXANGULAR BOLT	1
18	GB70. 1-M8×30	INNER HEXA CYLINDRICAL SCREW	8
19	GB41-M8	HEXANGULAR NUT	8
20	GB3452. 1-13. 2×2. 65-G	HYDRAULIC-PNEUMATIC RUBBER O-RING G TYPE	1
21	TC-10-1400013	BOLT	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-DJ-0018112Y	MOTOR (220-240V, 50Hz, 1P, 1.1Kw)	1
2	CT-DJ-0000001	MOTOR SUPPORT	1
3	CT-DJ-0000002	RUBBER WASHER	8
4	CT-DJ-0000004	PULLEY	1
5	GB5783-M10×50	HEXANGULAR BOLT	4
6	GB96. 1-10	LARGE WASHER A GRADE	4
7	GB95-10	FLAT WASHER	4
8	GB41-M10	HEXANGULAR NUT	4
9	GB78-M5×16	INNER HEXA CONIC TERMINUS SET SCREW	1
10	GB41-M5	HEXANGULAR NUT	1
11	GB1096-6×6×25	COMMON FLAT KEY	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-DJ-0034122	MOTOR (380V, 50Hz, 3P, 0.75Kw)	1
2	CT-DJ-0000001	MOTOR SUPPORT	1
3	CT-DJ-0000002	RUBBER WASHER	8
4	CT-DJ-0000004	PULLEY	1
5	GB5783-M10×50	HEXANGULAR BOLT	4
6	GB96. 1-10	LARGE WASHER A GRADE	4
7	GB95-10	FLAT WASHER	4
8	GB41-M10	HEXANGULAR NUT	4
9	GB78-M5×16	INNER HEXA CONIC TERMINUS SET SCREW	1
10	GB41-M5	HEXANGULAR NUT	1
11	GB1096-6×6×25	COMMON FLAT KEY	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-DJ-0044123	MOTOR (380V, 50Hz, 3P, 0.85-1.1Kw, DOUBLE SPEED)	1
2	CT-DJ-0000001	MOTOR SUPPORT	1
3	CT-DJ-0000002	RUBBER WASHER	8
4	CT-DJ-0000003	MOTOR BELT PULLEY	1
5	GB5783-M10×50	HEXANGULAR BOLT	4
6	GB96. 1-10	LARGE WASHER A GRADE	4
7	GB95-10	FLAT WASHER	4
8	GB41-M10	HEXANGULAR NUT	4
9	GB78-M5×16	INNER HEXA CONIC TERMINUS SET SCREW	1
10	GB41-M5	HEXANGULAR NUT	1
11	GB1096-6×6×25	COMMON FLAT KEY	1




ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-F-2000010	PRESSURE ADJUST VALVE AND WATER CUP	1
2	CT-F-2000020	OIL CUP	1
3	CT-F-2000003	PRESSURE GAUGE	1
4	FPL 8-02	INSERT ELBOW $\Phi 8$, R1/4	1
5	PEH 02-02	FAMALE UNION TEE	1
6	FPLF8-02	INSERT ELBOW $\phi 8$, R1/4	1
7	GB70. 1-M4×8	INNER HEXA CYLINDRICAL SCREW	4
8	CT-F-2000040	AIR REGULATOR BRACKET	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	CT-P-4000001	INFLATING GUN	1
2	CT-LS-1310005	DOUBLE SCREW G1/4	1
3	C-01-1500004	OPEN NUT	1
4	CT-P-1000002	INFLATION HOSE	1



ITEM	PART. No	DESCRIPTION.	QT. Y
1	H-40-1600002	VALVE HOLDER	1
2	AR20-01	PRESSURE ADJUST VALVE	1
3	FPL 8-02	INSERT ELBOW $\Phi 8$, R1/4	2



ITEM	PART. No	DESCRIPTION.	QT. Y
1	C-54-8000002	ACCESSORY BOX	1
2	C-54-8000003	20INCH CROWBAR	1
3	C-54-8100000	GREASE CONTAINER	1
4	C-54-8000004	BRACKET	1
5	CT-Y-5000007	CLAMP PROTECTION COVER	4
6	C-54-1300014	SHEATH	2
7	C-54-8000007	TOOL HEAF TAIL WASHER	1
8	C-90-1000013	BEAD BREAKER BLADE COVER	1
9	C-54-8000019	CROWBAR JACKET	1
10	C-54-8000011	AIR SUPPLY CONNECTOR	1
11	GB3452. 1-8×2. 65-A	HYDRAULIC-PNEUMATIC RUBBER O-RING A TYPE	1