



# IDEAL

A Division of **TUXERO** Distributors, LLC.

# POWER SPORTS EQUIPMENT

## **New 2200IEH-XR PRO-SERIES POWER SPORT LIFTS**

**THE MOST INNOVATIVE, VERSATILE & USER FRIENDLY POWER SPORTS LIFTS IN THE INDUSTRY!**

- ❖ INNOVATIVE RETRACTABLE RAMP SYSTEM AUTOMATICALLY PROVIDES ADDITIONAL WORK SPACE FOR A SAFE & CLEAN WORK AREA.
- ❖ SPRING LOADED 'QUICK-RELEASE' REAR SERVICE PANEL PROVIDES REAR WHEEL SERVICE ACCESS.
- ❖ DIAMOND PLATE PLATFORM DESIGNED TO ATTACH EITHER CYCLE VISE OR CYCLE CHOCK IN TWO DIFFERENT POSITIONS.
- ❖ SMOOTH & QUITE INTEGRATED 110V ELECTRIC / HYDRAULIC OPERATION - NO AIR COMPRESSOR REQUIRED.
- ❖ UTV SIDE EXTENSIONS INCORPORATE INNOVATIVE CENTER DROP PANELS TO PROVIDE VERSATILE SERVICE ACCESS, INCLUDING SERVICING MOTORCYCLES WITHOUT HAVING TO REMOVING SIDE EXTENSIONS.
- ❖ HIGH QUALITY CONSTRUCTION WITH DURABLE POWDER-COAT FINISH.

### **NEW**

**M-2200IEH-XR (2,200 LBS. CAPACITY)  
ELECTRIC / HYDRAULIC MOTORCYCLE LIFT BENCH**

- **EXCLUSIVE - 'FULL WIDTH' RETRACTABLE RAMP SYSTEM**
- 31.5"W X 88.6"L PLATFORM SIZE
- 47" RISE HEIGHT
- HAND HELD REMOTE CONTROL PENDANT
- 110V INTEGRATED ELECTRIC / HYDRAULIC POWER UNIT
- MAGNETIC LOCK RELEASE W/ SIX LOCKING POSITIONS
- 'QUICK RELEASE / FOLD DOWN' REAR SERVICE PANEL
- STABILIZER BAR
- TIE-DOWN ANCHOR EYE BOLTS & WHEEL STOP INCLUDED
- PLATFORM DESIGNED TO MOUNT OPTIONAL M-VISE OR M-CHOCK



**Shown with optional M-CHOCK**



A Division of **TUXERO** Distributors, LLC.

# POWER SPORTS EQUIPMENT



# 2200IEH-XR PRO-SERIES Difference!!




Smooth & Quite  
110V Electric / Hydraulic Operation  
(No Air Required)

**Exclusive!!**  
'Fold-Down' Wheel  
Stop Pivot Ramps

Six Locking Positions with  
Electronic Lock Release

**Exclusive!!**  
'Drop Down' Side  
Access Panels



(A-2200IEH-XR Model)



(U-2200IEH-XR Model)



**NEW**

**A-2200IEH-XR (2,200 LBS. CAPACITY)**

**ELECTRIC / HYDRAULIC ATV LIFT BENCH**

- **EXCLUSIVE - 'FULL WIDTH' RETRACTABLE RAMP SYSTEM**
- 50"W X 88.6"L PLATFORM SIZE
- 47" RISE HEIGHT
- HAND HELD REMOTE CONTROL PENDANT
- 110V INTEGRATED ELECTRIC / HYDRAULIC POWER UNIT
- MAGNETIC LOCK RELEASE W/ SIX LOCKING POSITIONS
- 'QUICK RELEASE / FOLD DOWN' REAR SERVICE PANEL
- STABILIZER BAR
- TIE-DOWN ANCHOR EYE BOLTS & WHEEL STOPS INCLUDED
- PLATFORM DESIGNED TO MOUNT OPTIONAL M-VISE OR M-CHOCK



**NEW**

**U-2200IEH-XR (2,200 |**

**ELECTRIC / HYDRAULIC UTV LIFT BENCH**

- **EXCLUSIVE - 'FULL WIDTH' RETRACTABLE RAMP SYSTEM**
- **EXCLUSIVE - "DROP DOWN" SIDE ACCESS PANELS**
- 65"W X 88.6"L PLATFORM SIZE
- 47" RISE HEIGHT
- HAND HELD REMOTE CONTROL PENDANT
- 110V INTEGRATED ELECTRIC / HYDRAULIC POWER UNIT
- MAGNETIC LOCK RELEASE W/ SIX LOCKING POSITIONS
- 'QUICK RELEASE / FOLD DOWN' REAR SERVICE PANEL
- STABILIZER BAR
- TIE-DOWN ANCHOR EYE BOLTS & WHEEL STOP INCLUDED
- PLATFORM DESIGNED TO MOUNT OPTIONAL M-VISE OR M-CHOCK





**NEW**

**M-2200IEH-XR + TRIKEKIT-2200IEH-XR (2,200 LBS. CAPACITY)  
ELECTRIC / HYDRAULIC TRIKE LIFT BENCH**

- **EXCLUSIVE - 'FULL WIDTH' RETRACTABLE RAMP SYSTEM**
- 62.2"W X 110.2"L PLATFORM SIZE (Includes 21.6" FRONT EXTENSION)
- 47" RISE HEIGHT
- HAND HELD REMOTE CONTROL PENDANT
- 110V INTEGRATED ELECTRIC / HYDRAULIC POWER UNIT
- MAGNETIC LOCK RELEASE W/ SIX LOCKING POSITIONS
- 'QUICK RELEASE / FOLD DOWN' REAR SERVICE PANEL
- STABILIZER BAR
- TIE-DOWN ANCHOR EYE BOLTS & WHEEL STOPS INCLUDED
- PLATFORM DESIGNED TO MOUNT OPTIONAL M-VISE OR M-CHOCK




**2200IEH-XR PRO-SERIES Accessories**

**NEW**

**RMPEXT-2200IEH-XR  
2200IEH-XR RAMP EXTENSION**


- REDUCES RAMP ANGLE FOR LOW PROFILE CYCLE
- 35"L x 16"W RAMP SIZE
- EASILY ATTACHES TO RETRACTABLE RAMP
- WORKS ONLY WITH 2200IEH-XR LIFT MODELS



**FRTEXT-2200IEH**

**2200IEH SERIES FRONT EXTENSION PANEL**

- EXTENDS 2200IEH PLATFORM BY 21.6" OR TO 110.2"
- DESIGNED TO MOUNT OPTIONAL M-VISE OR M-CHOCK
- ALL HARDWARE INCLUDED



**DLYWHLKIT-2200IEH**

**2200IEH SERIES DOLLY & WHEEL KIT**

- INCLUDES BOTH NOSE DOLLY & WHEEL KIT
- PROVIDES CONVENIENT PORTABILITY
- ADJUSTABLE HEIGHT / RETRACTABLE WHEELS
- ALL HARDWARE INCLUDED



**M-CHOCK**

**'SELF-LOCKING' CYCLE CHOCK**

- MOUNTS TO 2200IEH PLATFORM OR FRONT EXTENSION
- ADJUSTABLE 'SELF-LOCKING' OPERATION
- INCLUDES NARROW TIRE ADAPTORS
- SECURELY HOLDS CYCLE IN UPRIGHT / FIXED POSITION
- CONVENIENT ONE PERSON OPERATION
- ALL HARDWARE INCLUDED



**M-JACK  
CYCLE JACK**

- 1,100 LBS CAPACITY
- INCLUDES 2 ADJUSTABLE FRAME CRADLES
- PLATFORM SIZE - 17-23/32" X 5-29/32"
- MIN. HEIGHT - 3-3/4"
- MAX HEIGHT - 15-3/4"



**M-VISE**

**CYCLE VISE**

- MOUNTS TO 2200IEH PLATFORM OR FRONT EXTENSION
- SECURELY HOLDS CYCLE IN UPRIGHT / FIXED POSITION
- CLAMP DESIGN TO FIT MOST CYCLE FRONT WHEELS
- RUBBER PADS FOR CYCLE WHEEL PROTECTION
- ALL HARDWARE INCLUDED



◆ Individual 2200IEH-XR-PRO-SERIES Side Extension Kits Available - ATKKIT-2200IEH-XR, UTVKIT-2200IEH-XR & TRIKEKIT-2200IEH-XR

**2200IEH-XR PRO-SERIES Lift Specifications**

Lift Model	M-2200IEH-XR	A-2200IEH-XR	U-2200IEH-XR	M-2200IEH-XR + TRIKEKIT-2200IEH-XR
Capacity	2,200 lbs	2,200 lbs	2,200 lbs	2,200 lbs
Min. Height	7"	7"	7"	7"
Max Lifting Height	47-1/4"	47-1/4"	47-1/4"	47-1/4"
Overall Length w/ Ramp	116-1/2"	116-1/2"	116-1/2"	138-1/4"
Overall Width	58"	58"	65"	62-1/4"
Platform Size (L x W)	88-5/8" x 31.5"	88-5/8" x 50"	88-5/8" x 65"	88-5/8" x 62-1/4"
Lifting Time	30S	30S	30S	30S
Lowering Time	30S	30S	30S	30S
Power	110V, 60Hz, 1 PH-18A	110V, 60Hz, 1 PH-18A	110V, 60Hz, 1 PH-18A	110V, 60Hz, 1 PH-18A
Ship Weight	704 lbs	880 lbs	970 lbs	1,015 lbs

[idealautoequip.com](http://idealautoequip.com)

**Premium Products at Affordable Prices!!**